

SINGLE AXLE - GALVANIZED OR POWDERCOAT - TORSION SUSPENSION

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
EZB 12-14' 700	700	2	Torsion	480x8B	44	58	16.7	231
EZB 12-14' 1000	1000	2	Torsion	480x12B	44	58	16.7	250
EZVB 14-16' 1000	1000	2	Torsion	480x12B	45	58	18	250
EZW 12-14' 1200	1200	2	Torsion	480x12B	54	67	17	275
EZ 14-17' 1250	1250	2	Torsion	480x12B	54	67	19	310
EZW 14-18' 2100	2100	2	Torsion	ST 175\80R 13C	75	90	19.4	527
EZW 14-18' 2300	2300	2	Torsion	ST 185\80R 13C	75	90	19.4	548
EZ 15-18' 2350	2350	2	Torsion	ST 205\75R 14C	77	96	20.5	621
EZNB 17-20' 2350	2350	2	Torsion	ST 205\75R 14C	72	91	21.5	624
EZ 17-20' 2350	2350	2	Torsion	ST 205\75R 14C	77	96	21.5	636
EZ 15-18' 2800	2800	2	Torsion	ST 205\75R 14C	77	96	20.5	622
EZ102 15-18' 2800	2800	2	Torsion	ST 205\75R 14C	83	102	20.3	638
EZ 17-20' 2800	2800	2	Torsion	ST 205\75R 14C	77	96	21.5	637
EZ 15-18' 3100	3100	2	Torsion	ST 215\75R 14C	77	96	20.5	634
EZNB 17-20' 3100	3100	2	Torsion	ST 215\75R 14C	72	91	21.5	615
EZ 17-20' 3100	3100	2	Torsion	ST 215\75R 14C	77	96	21.5	649
EZ102 17-20' 3100	3100	2	Torsion	ST215\75R14C	83	102	21.3	640
EZNB 19-22' 3000	3000	2	Torsion	ST215\75R14C	72	91	24	680
EZ 19-22' 3100	3100	2	Torsion	ST 215\75R 14C	77	96	23.8	640
EZ102 19-22' 3100	3100	2	Torsion	ST 215\75R 14C	83	102	23.8	640
EZ 17-20' 3700	3700	2	Torsion	ST 225\75R 15D	78	96	22.6	875
EZ 19-22/24' ** 3700	3700	2	Torsion	ST 225\75R 15D	78	96	24.6"/+2	900

TANDEM AXLE - GALVANIZED OR POWDERCOAT - TORSION SUSPENSION

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
TEZ 14-20/22' ** 4000	4000	2	Torsion	ST 175\80R 13C	80	96	22.3"/+1.3	900
TEZ 17-20/22' ** 4000	4000	2	Torsion	ST 205\75R 14C	77	96	22.3"/+1.3	948
TEZ102 17-20/22' ** 4000	4000	2	Torsion	ST175\80R13C	86	102	22.3"/+1.3	912
TEZ102 17-20/22' ** 4000	4000	2	Torsion	ST205\75R14C	83	102	22.3"/+1.3	959
TEZ 19-22/24' ** 4700	4700	2	Torsion	ST 205\75R 14C	77	96	25./+1.6	1108
TEZ102 19-22/24' ** 4700	4700	2	Torsion	ST205\75R14C	83	102	25'/+1.6	1123
TEZ 19-22/24' ** 5200	5200	2	Torsion	ST 205\75R 14C	77	96	25./+1.6	1119
TEZ102 19-22/24' ** 5200	5200	2	Torsion	ST205\75R14C	83	102	25./+1.6	1133
TEZ102B 23-25' 5700	5700	4	Torsion	ST215\75R14C	83	102	30.3	1760
TEZ 23-25/27' ** 5800	5800	4	Torsion	ST 215\75R 14C	77	96	26.3/+2	1487
TEZB 23-25/27' ** 6800	6800	4	Torsion	ST 225\75R 15D	76	96	26.3/+2	1633
TEZB 23-25/27' ** 7500	7500	4	Torsion	ST 225\75R 15D	76	96	26.3/+2	1633
TEZ102 26-30' 7500	7500	4	Torsion	ST225\75R15D	80	102	30.3	1913
TEZB 25-27' 8500	8500	4	Torsion	ST 235\80R16E	76	96	28.3	1950
TEZB 28-30' 8500	8500	4	Torsion	ST 235\80R16E	76	96	30.3	2015
TEZ102 26-30' 8500	8500	4	Torsion	ST235\80R16E	80	102	30.3	2035

TRIPLE AXLE - GALVANIZED OR POWDERCOAT - TORSION SUSPENSION

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
TIEZB 26-30' 9000	9000	4	Torsion	ST 215\75R 14C	77	96	30.6	2068
TIEZB 30-34/36' ** 11800	11800	4	Torsion	ST 225\75R 15D	77	96	37.+2	2596
TIEZB 26-30' 12000	12000	4	Torsion	ST 225\75R 15D	77	96	31.6	2431
TIEZ102 26-30' 12000	12000	4	Torsion	ST225\75R15D	80	102	31.6	2455
TIEZ102 30-34' 13500	13500	6	Torsion	ST225\75R 15E	80	102	37	3180
TIEZ102 29-31' 15500	15500	4	Torsion	LT235/85R16G	77	102	34.8	4250
TIEZ102 32-35' 15500	15500	4	Torsion	LT235/85R16G	77	102	38.8	4251

SINGLE AXLE - GALVANIZED OR POWDERCOAT - SPRING SUSPENSION

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
EZT 14' 600	600	2	Spring	480x8B	45	59	16	227
EZT 14' 800	800	2	Spring	480x12B	45	59	16	234
EZ 12-14' 1225	1225	2	Spring	480x12B	54	64	16	321
EZVB 14-17' 1250	1250	2	Spring	480x12B	53	66	18.8	310
EZ 14-17' 1250	1250	2	Spring	ST 175\80R 13C	52	68	19	310
EZN 14-17' 1400	1400	2	Spring	530x12C	61	74	19	352
EZL80 13-14' 1480	1480	2	Spring	530 X 12C	66	80	17.8	352
ENZ 14-17' 1650	1650	2	Spring	ST 175\80R 13C	58	74	19	392
EZ 14-17' 2000	2000	2	Spring	ST 175\80R 13C	64	80	19	446
EZL80 15-16' 2000	2000	2	Spring	ST 175\80R 13C	64	80	19	404
EZL90 14-18' 2100	2100	2	Spring	ST 175\80R 13C	74	90	19.6	504
EZL90 15-16' 2100	2100	2	Spring	ST 175\80R 13C	74	90	19.6	460
EZL90 15-17' 2350	2350	2	Spring	ST 185\80R 13C	76	92	20.4	529
EZL90 17-19' 2350	2350	2	Spring	ST 185\80R 13C	76	92	21.4	545
EZL96 15-17' 2100	2100	2	Spring	ST 175\80R 13C	80	96	20.4	517
EZL102 15-18' 2300	2300	2	Spring	ST 185\80C 13C	86	102	21	554
EZL96 15-18' 2450	2450	2	Spring	ST 205\75R 14C	77	96	21	549
EZL96 19-22' 2500	2500	2	Spring	ST 205\75R 14C	77	96	27.6	692
EZL96 15-18' 2800	2800	2	Spring	ST 205\75R 14C	77	96	21.4	597
EZL102 15-18' 2800	2800	2	Spring	ST 205\75R 14C	83	102	21	613
EZL96 17-20' 2450	2450	2	Spring	ST 205\75R 14C	77	96	22	549
EZL96 17-20' 2800	2800	2	Spring	ST 205\75R 14C	77	96	22.4	613
EZL96 15-18' 3100	3100	2	Spring	ST 215\75R 14C	77	96	21.4	609
EZL96 17-20' 3100	3100	2	Spring	ST 215\ 75R 14C	77	96	22.4	624
EZL102 17-20' 2800	2800	2	Spring	ST 205\75R 14C	83	102	22	621
EZL102 17-20' 3100	3100	2	Spring	ST 215\75R 14C	83	102	22	633
EZL96B 17-20' 3500	3400	2	Spring	ST 215\75R 15D	77	96	23	800
EZL102 17-20' 3400	3400	2	Spring	ST 225\75R 15C	83	102	23	800

TANDEM AXLE - GALVANIZED OR POWDERCOAT - SPRING SUSPENSION

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
TEZL96 17-20\22' ** 4000	4000	2	Spring	ST 175\80R 13C	80	96	23.6/-1.3	827
TEZL96 17-20\22' ** 4000	4000	2	Spring	ST 205\75R 14C	77	96	23.6/+1.3	891
TEZL102 17-20\22' ** 4000	4000	2	Spring	ST 175\80R 13C	86	102	23.6/+1.3	838
TEZL102 17-20\22' ** 4000	4000	2	Spring	ST 205\75R 14C	83	102	23.6/+1.3	903
TEZL96 19-22\24' ** 4700	4700	2	Spring	ST 205\75R 14C	77	96	25/+1.3	1080
TEZL102 19-22\24' ** 4700	4700	2	Spring	ST 205\75R 14C	83	102	25/+1.3	1095

SINGLE AXLE - ALUMINUM - SPRING SUSPENSION

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
AL80B 13-15' 1600	1600	2	Spring	530x12C	60	80	18.1	377
AL90B 14-16' 2200	2200	2	Spring	ST175/80R13C	75	90	18.4	470
ALB 16-18' 2100	2100	2	Spring	ST175/80R13C	77	96	20.2	499
ALB 16-18' 2450	2450	2	Spring	ST185/80R13C	77	96	20.2	500
ALB 16-18' 2800	2800	2	Spring	ST205/75R14C	77.5	96	20.2	563
ALB 18-20' 2800	2800	2	Spring	ST205/75R14C	77.5	96	21.2	576
ALB 18-20' 3100	3100	2	Spring	ST215/75R14C	77.5	96	21.2	588
AL102B 18-20' 3100	3100	2	Spring	ST205/75R14C	83	102	21.2	600

TANDEM AXLE - ALUMINUM - SPRING SUSPENSION

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
TALB 18-21' 4000	4000	2	Spring	ST175/80R13C	80.5	96	22.9	766
TALB 18-21' 4000	4000	2	Spring	ST205/75R14C	77.5	96	22.9	834
TAL102B 18-21' 4000	4000	2	Spring	ST175/80R13C	86	102	22.9	774
TAL102B 18-21' 4000	4000	2	Spring	ST205/75R14C	83	102	22.9	843
TALB 20-23' 5200	5200	2	Spring	ST205/75R14C	77.5	96	23.6	956
TAL102B 20-23' 5200	5200	2	Spring	ST205/75R14C	83	102	23	993
TALB 21-25' 6200	6200	4	Spring	ST215/75R14C	77.5	96	27	1200
TALB 23-27' 6200	6200	4	Spring	ST215/75R14C	77.5	96	30.6	1200
TALB 12-25' 7900	7900	4	Spring	ST225/75R15D	77	96	27	1374
TALB 23-27' 7900	7900	4	Spring	ST225/75R15D	77.5	96	30.9	1403
TALB 23-27' 8500	8500	4	Spring	ST235/80R16E	77.5	96	30.2	1500

SINGLE AXLE - ALUMINUM - TORSION

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
AB 16-18' 2100	2100	2	Torsion	ST175/80R13C	77.5	96	20.2	558
AB 16-18' 2800	2800	2	Torsion	ST205/75R14C	77.5	96	20.2	593
AB 18-20' 2800	2800	2	Torsion	ST205/75R14C	77.5	96	21.2	607
AB 18-20' 3100	3100	2	Torsion	ST215/75R14C	77.5	96	21.2	619
A102B 18-20' 3100	3100	2	Torsion	ST205/75R14C	83	102	21.4	800
A102B 18-20' 3900	3900	2	Torsion	ST225/75R15D	82	102	21.4	699

TANDEM AXLE MODELS - ALUMINUM - TORSION SUSPENSION

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
TAB 18-21' 4000	4000	2	Torsion	ST175/80R13C	80.5	96	22.9	820
TAB 18-21' 4000	4000	2	Torsion	ST205/75R14C	77.5	96	22.9	867
TA102B 18-21' 4000	4000	2	Torsion	ST175/80R13C	86	102	22.9	828
TA102B 18-21' 4000	4000	2	Torsion	ST205/75R14C	86	102	22.9	876
TAB 20-23' 5200	5200	2	Torsion	ST205/75R14C	77.5	96	23.6	1008
TA102B 20-23' 5200	5200	2	Torsion	ST205/75R14C	86	102	23	1017
TAB 21-25' 6200	6200	4	Torsion	ST215/75R14C	77.5	96	27	1200
TAB 23-27' 6200	6200	4	Torsion	ST215/75R14C	77.5	96	30.6	1200
TAB 23-27' 7900	7900	4	Torsion	ST225/75R15D	77.5	96	30.9	1438
TAB 26-30' 7900	7900	4	Torsion	ST225/75R15D	77.5	96	33.9	1472
TAB 23-27' 8500	8500	4	Torsion	ST235/80R16E	77.5	96	30.2	1500

TRIPLE AXLE - ALUMINUM - TORSION SUSPENSION

Model And Hull Length	Weight Capacity	No. of Bunks	Axle Style	Tire Size	Approx. Width Between Fenders	Approx. Overall Width	Approx. Overall Length	Approx. Shipping Weight
TIAB 26-30' 9000	9000	4	Torsion	ST215/75R14C	77.5	96	33.2	1800
TIAB 27-31' 12000	12000	8	Torsion	ST225/75R15D	77.5	96	34.2	2234
TIAB 30-34' 12000	12000	8	Torsion	ST225/75R15D	77.5	96	37.2	2270
TIAB 32-36'	12000	2	Torsion	ST225/75R15D	77.5	96	40.2	2220